



Safety Data Sheet

POTASSIUM PERMANGANATE, ALL GRADES

SECTION 1. IDENTIFICATION

Product Identifier	Potassium Permanganate, all grades Potassium Permanganate, Crystal Grade, NSF® - 60 Potassium Permanganate, Free Flowing Grade, NSF® - 60
Other Means of Identification	Code: PERMNSF13, PPNSF**, PPNSFWHITE13 DSL: Permanganic acid (HMnO4), potassium salt IUPAC: Potassium manganesoylolate CAS: 7722-64-7
Product Use and Restrictions on Use	For commercial or industrial use. This product is certified to NSF / ANSI / CAN standard 60 for use in drinking water, see section 15 and the NSF website for further information.
Initial Supplier Identifier	ClearTech Industries Inc. 1500 Quebec Avenue Saskatoon, SK. Canada S7K 1V7 Phone: 800.387.7503 Fax: 888.281.8109 www.cleartech.ca
24-Hour Emergency Phone	306.664.2522

SECTION 2. HAZARD IDENTIFICATION

Oxidizing solid	Category 2
Acute toxicity - oral	Category 4
Skin corrosion / irritation	Category 1C
Serious eye damage / eye irritation	Category 1
Reproductive toxicity	Category 2
Specific target organ toxicity - repeated exposure	Category 2
Hazardous to the aquatic environment - acute hazard	Category 1
Hazardous to the aquatic environment - chronic hazard	Category 1

Pictograms



Signal Word: **Danger**



Safety Data Sheet

POTASSIUM PERMANGANATE, ALL GRADES

Hazard Statements

- H272 May intensify fire; oxidizer.
- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H361 Suspected of damaging fertility or the unborn child.
- H373 May cause damage to the brain via inhalation
- H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

Prevention

- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P220 Keep away from clothing and other combustible materials.
- P260 Do not breathe dust.
- P264 Wash affected body parts thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.
- P273 Avoid release to the environment.
- P280 Wear protective gloves, protective clothing, eye protection, face protection.

Response

- P301 P312 P330 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Call a POISON CENTER or doctor if you feel unwell.
- P303 P361 P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse.
- P304 P340 P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor.
- P305 P351 P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.
- P308 P313 IF exposed or concerned: Get medical advice or attention.
- P314 Get medical advice or attention if you feel unwell.
- P391 Collect spillage.

Storage

- P405 Store locked up.

Disposal

- P501 Dispose of contents / container in accordance with all federal, provincial and / or local regulations including the Canadian Environmental Protection Act.

Hazards Not Otherwise Classified

Not available



Safety Data Sheet

POTASSIUM PERMANGANATE, ALL GRADES

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Ingredients:

<i>Chemical name</i>	<i>Common name(s)</i>	<i>CAS number</i>	<i>Concentration (w/w%)</i>
Permanganic acid (HMnO ₄), potassium salt	Potassium permanganate	7722-64-7	>95%

SECTION 4. FIRST-AID MEASURES

Description of necessary first-aid measures

Inhalation	Remove source of exposure or move person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor. If breathing has stopped, trained personnel should begin rescue breathing or if the heart has stopped, immediately start cardiopulmonary resuscitation (CPR) or automated external defibrillation (AED). Avoid mouth to mouth contact by using a barrier device. If exposed or concerned: Get medical advice / attention.
Ingestion	Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor. If vomiting occurs naturally, lie on your side, in the recovery position. Call a POISON CENTER or doctor if you feel unwell. Rinse mouth. If exposed or concerned: Get medical advice / attention.
Skin contact	Avoid direct contact. Wear chemical protective clothing, if necessary. Take off immediately contaminated clothing, shoes and leather goods. Rinse skin with lukewarm, gently flowing water / shower for 30 minutes. Store contaminated clothing under water and wash before re-use or discard. Immediately call a POISON CENTER or doctor. Wash contaminated clothing before re-use or discard. If exposed or concerned: Get medical advice / attention.
Eye contact	Avoid direct contact. Wear chemical protective gloves, if necessary. Remove source of exposure or move person to fresh air. Rinse eyes cautiously with lukewarm, gently flowing water for several minutes, while holding the eyelids open. Remove contact lenses, if present and easy to do. Continue rinsing for 30 minutes. Take care not to rinse contaminated water into the unaffected eye or onto the face. Immediately call a POISON CENTER or doctor.

Most important symptoms and effects, both acute and delayed

Inhalation	Causes severe burns to the mouth and throat. Suspected of causing damage to the brain via prolonged or repeated exposures.
Ingestion	Causes burns to the mouth and throat. Harmful if swallowed. Suspected of causing birth defects via prolonged exposure.
Skin contact	Causes severe skin burns.
Eye contact	Causes serious eye damage.
Further information	For further information see Section 11 Toxicological Information.

SECTION 5. FIRE FIGHTING MEASURES

Suitable extinguishing media	This material is an oxidizer. Use large quantities of water as fog to fight fires in which this material is involved.
Unsuitable extinguishing media	Carbon dioxide or other extinguishing agents that smother flames are not effective in fires involving oxidizers. Do NOT use dry chemical fire extinguishing agents containing ammonium compounds (such as some A:B:C agents), since an explosive compound can be formed. Water jets are not recommended in fires involving chemicals.
Specific hazards arising from the chemical	May intensify fire; oxidizer. In the event of a fire oxides of potassium and manganese, and formic acid may be released.



Safety Data Sheet

POTASSIUM PERMANGANATE, ALL GRADES

Special protective equipment for fire-fighters Wear NIOSH-approved self-contained breathing apparatus and chemical-protective clothing.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions / Protective Equipment / Emergency Procedures Wear appropriate personal protective equipment (See Section 08 Exposure Controls and Personal Protection). Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep away from clothing and other combustible materials. Stay upwind, ventilate area. Do not breathe dust.

Environmental Precautions Do NOT let this chemical enter the environment. Prevent material from entering waterways, sewers or confined spaces. Notify local health and wildlife officials. Notify operators of nearby water intakes.

Methods and Materials for Containment and Cleaning Up Dry sweeping is not recommended. Pre-dampening the material or use of a vacuum is preferred. Shovel into clean, dry, labeled containers and cover. Flush area with water.

SECTION 7. HANDLING AND STORAGE

Precautions for Safe Handling An emergency shower and eyewash station should be available, tested, and be near to the product being handled in accordance with provincial regulations.
Use sensible workplace hygiene and housekeeping practices. Wash thoroughly after handling. Avoid all situations that could lead to harmful exposure. Prevent the release of dust into the workplace air.
Inspect containers for damage or leaks before handling. If the original label is damaged or missing replace with a workplace label. Have suitable emergency equipment for fires, spills and leaks readily available.
Never return contaminated material to its original container.

Conditions for Safe Storage Store in a cool, dry, well-ventilated area, out of direct sunlight, away from heat sources and incompatible materials. Always store in original labeled container. Keep containers tightly closed when not in use and when empty. Empty containers may contain hazardous residues. Protect label and keep it visible.

Incompatibilities Acids, such as sulphuric, nitric, hydrochloric, phosphoric, fluosilicic (HFSA), sulphonic, acetic, citric, oxalic, and formic.
Reducing agents, such as hydrogen, sodium borohydride, sulphur dioxide, thiosulphates, hydrazine, phosphites, carbon, and oxalic, formic and ascorbic acid.
Powdered metals, peroxides, zinc, copper, alcohols.

SECTION 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure limits

Component	Regulation	Type of listing	Value
Manganese - Elemental & inorganic compounds, as Mn, Inhalable	ACGIH	TWA	0.1 mg/m ³
Manganese - Elemental & inorganic compounds, as Mn, Respirable	ACGIH	TWA	0.02 mg/m ³



Safety Data Sheet

POTASSIUM PERMANGANATE, ALL GRADES

Engineering controls

Ventilation Requirements Mechanical ventilation (dilution or local exhaust), process or personnel enclosure and control of process conditions should be provided in accordance with all fire codes and regulatory requirements. Supply sufficient replacement air to make up for air removed by exhaust systems.

Protective equipment

The following are recommendations only. It is the responsibility of the employer / user to conduct a hazard assessment of the process in which this product being used and determine the proper engineering controls and PPE for their process. Additional regulatory and safety information should be sought from local authorities and, if needed, a professional industrial hygienist.

Eye and face protection Where there is potential eye or face exposure, tightly fitting safety goggles and a face shield or a full-face respirator or similar protective equipment which protects the wearer's face and eyes are recommended. Contact lenses are not recommended; they may contribute to severe eye injury.

Hand and body protection Disposable latex or nitrile gloves are recommended to prevent incidental contact. Butyl rubber, neoprene, or PVC skin protection is recommended for extended contact. Leather gloves are not recommended for chemical protection. Refer to manufacturer's specifications for breakthrough times and permeability information; note that breakthrough times and permeability vary with temperature, application and age of material. Continued use of contaminated safety gear or clothing is not recommended, wash before reuse or discard.

Respiratory protection Where concentrations are above recommended limits, approved respiratory protection should be worn, ensure cartridges provide protection against this product. Depending on conditions such as temperature and handling method negative pressure masks may not provide suitable protection, and positive pressure respirators or SCBAs may be required. Reevaluate any respiratory protection used regularly, as their protective effects tend to degrade over time.
In emergency conditions SCBAs are recommended.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Solid
Colour	Dark purple
Odour	Not available
Odour threshold	Not available
pH	Not available
Melting point / freezing point	Not available
Initial boiling point and boiling range	Not available
Flash point	Not applicable
Evaporation rate	Not available
Flammability	Non flammable
Upper flammable limit	Not available
Lower flammable limit	Not available
Vapour pressure	Not available
Vapour density	Not available



Safety Data Sheet

POTASSIUM PERMANGANATE, ALL GRADES

Relative density	2.70
Solubility	65 g/L @ 20 °C in water
Partition coefficient: n-octanol/water	Not available
Auto-ignition temperature	Not available
Decomposition temperature	Not available
Viscosity	Not applicable
Specific gravity	Not applicable
Particle characteristics	Particle size: See TDS Particle shape: Crystals or granules

SECTION 10. STABILITY AND REACTIVITY

Reactivity	Reacts violently with acids. This product is an oxidizer and will react with reducing agents and organic compounds such as paper or wood to produce heat and could potentially catch fire.
Stability	This product is stable if stored according to the recommendations in Section 07.
Possibility of hazardous reactions	Hazardous polymerization is not known to occur.
Conditions to avoid	Keep away from clothing and other combustible materials. Avoid contact with incompatible materials.
Incompatible materials	Acids, such as sulphuric, nitric, hydrochloric, phosphoric, fluosilicic (HFSA), sulphonic, acetic, citric, oxalic, and formic. Reducing agents, such as hydrogen, sodium borohydride, sulphur dioxide, thiosulphates, hydrazine, phosphites, carbon, and oxalic, formic and ascorbic acid. Powdered metals, peroxides, zinc, copper, alcohols.
Hazardous decomposition products	Thermal decomposition may produce oxides of potassium and manganese, and formic acid.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute Toxicity (LD50 / LC50 values)

<i>Component</i>	<i>Route</i>	<i>Species</i>	<i>Value</i>	<i>Exposure time</i>
Potassium permanganate	Oral	Rat	2000 mg/kg bw	
	Dermal	Rat	>2000 mg/kg bw	

Toxic Health Effect Summary

Chemical characteristics	This product is a strong oxidizer. Manganese is an essential nutrient, but overexposure has been linked to brain damage.
Skin	Causes severe skin burns.
Ingestion	Causes burns to the mouth and throat. Harmful if swallowed. Suspected of causing birth defects via prolonged exposure.
Inhalation	Causes severe burns to the mouth and throat. Suspected of causing damage to the brain via prolonged or repeated exposures.
Eye contact	Causes serious eye damage.



Safety Data Sheet

POTASSIUM PERMANGANATE, ALL GRADES

Sensitization	This product and its components at their listed concentration have no known sensitizing effects.
Mutagenicity	This product and its components at their listed concentration have no known mutagenic effects.
Carcinogenicity	This product and its components at their listed concentration have no known carcinogenic effects.
Reproductive toxicity	Studies on laboratory animals exposed to this product are associated with damage fertility or the unborn child.
Specific organ toxicity	May cause damage to the brain via inhalation
Aspiration hazard	Not available
Synergistic materials	Not available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

<i>Component</i>	<i>Type</i>	<i>Species</i>	<i>Value</i>	<i>Exposure Time</i>
Potassium permanganate	LC50	Fish	0.47 mg/L	96 hours
Potassium permanganate	EC50	Aquatic invertebrates	0.06 mg/L	48 hours
Potassium permanganate	EC50	Algae	0.43 mg/L	72 hours

Biodegradability	The domestic substance list categorizes potassium permanganate as non-persistent.
Bioaccumulation	The domestic substance list categorizes potassium permanganate as non-bioaccumulative.
Mobility	This product is water soluble, is not predicted to adsorb to soil and may contaminate ground water.
Other adverse effects	The domestic substance list categorizes potassium permanganate as inherently toxic to aquatic organisms.

SECTION 13. DISPOSAL CONSIDERATIONS

Waste From Residues / Unused Products	Dispose in accordance with all federal, provincial, and local regulations including the Canadian Environmental Protection Act.
Contaminated Packaging	Do not remove label, follow label warnings even after the container is empty. Empty containers should be recycled or disposed of at an approved waste handling facility.

SECTION 14. TRANSPORT INFORMATION

UN number	UN1490
UN proper shipping name and description	POTASSIUM PERMANGANATE
Transport hazard class(es)	5.1
Packing group	II
Excepted quantities	1 kg
Environmental hazards	Not listed as a marine pollutant under Canadian TDG Regulations, schedule III.
Special precautions	No special precautions



Safety Data Sheet

POTASSIUM PERMANGANATE, ALL GRADES

Transport in bulk	ERAP index: not available
	MARPOL 73/78 and IBC Code: This product is not listed in Chapter 17 of the IBC Code.
Additional information	Secure containers (full or empty) during shipment and ensure all caps, valves, or closures are secured in the closed position.

SECTION 15. REGULATORY INFORMATION

All components of this product appear on the domestic substance list.

NSF Certification: Product is certified to NSF / ANSI / CAN Standard 60 for Disinfection & Oxidation at a maximum dosage of: 50 mg/L. NSF product use restrictions based on requirements obtained from the NSF website; consult NSF website for current requirements.

SECTION 16. OTHER INFORMATION

Date of latest revision: October 29, 2025

Note: The responsibility to provide a safe workplace remains with the buyer / user. The buyer / user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results and assume no liability for damages incurred by the use of this material. It is the responsibility of the buyer / user to comply with all applicable laws and regulations regarding handling, using, reselling and shipping this product.

Attention: Receiver of the chemical goods / SDS coordinator

As part of our commitment to the RDC Responsible Distribution® initiative, ClearTech Industries Inc. and its associated companies require, as a condition of sale, that you forward the attached Safety Data Sheet(s) to all affected employees, customers, and end-users. ClearTech will send any available supplementary handling, health, and safety information to you at your request.

If you have any questions or concerns, please call our customer service center.

References:

- 1) *NIOSH Pocket Guide to Chemical Hazards*; U.S. Department of Health and Human Services, <https://www.cdc.gov/niosh/npg/default.html>
- 2) *WorkSafe BC E-Limit*; Workers' Compensation Board of British Columbia, <https://elimit.online.worksafebc.com/>
- 3) *ECHA - Registered Substance Dossier*; European Chemicals Agency, <https://echa.europa.eu/registration-dossier/-/registered-dossier/14531>
- 4) *Transportation of Dangerous Goods Regulations*; Transport Canada, <https://laws-lois.justice.gc.ca/eng/regulations/SOR-2001-286/index.html>
- 5) Globally Harmonized System of Classification and Labeling of Chemicals (GHS) *Seventh revised edition*
- 6) International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code) 2007 Edition
- 7) The ACS Style Guide